FOLDERINFO

NAME

FolderInfo -- Return information about a folder. (V2.0)

TEMPLATE

VAR/K,STEM/K,FOLDER

FUNCTION

Returns information about the specified folder, or the current folder if none is specified.

INPUTS

VAR/K - variable where the results will be stored
STEM/K - base name used for the stems where the returned data will be stored
FOLDER - name or path of the folder we want to get info about; if no folder is specified, the current folder will be used (V2.2)

RETURNS

VAR - string with a space separated list of the results of the query
<STEM>NUMBER - position of the folder in the folder list; the folder at the top is in slot 0
<STEM>NAME - name of the folder as shown in the folder list
<STEM>PATH - path of the folder, e.g. "incoming"
<STEM>TOTAL - total number of messages in the folder
<STEM>NEW - number of new messages in the folder
<STEM>UNREAD - number of unread messages in the folder
<STEM>SIZE - size of the folder, in bytes
<STEM>TYPE - type of folder (V2.3), possible values are:

0 - normal
1 - incoming
2 - outgoing
3 - sent (for the default "Sent" folder)
4 - deleted
5 - sent and received
6 - sent

RC is set to 10 if the specified folder cannot be found.

NOTES

EXAMPLE

```
/* Enable result codes */

OPTIONS RESULTS

/* Request info */
```

```
FOLDERINFO 'Incoming' STEM fi.

/* Display results */

SAY 'Folder number: 'fi.number
SAY 'Folder name: 'fi.name
SAY 'Path: 'fi.path
SAY 'Total messages: 'fi.total
SAY 'New messages: 'fi.new
SAY 'Unread messages: 'fi.unread
SAY 'Total size: 'fi.size
SAY 'Type: 'fi.type
```

BUGS

SEE ALSO