

**Languages:**

- **English**
- [Español](#)

**Table of Contents**

Languages:	1
GETCONFIGINFO	2

## GETCONFIGINFO

### NAME

GetConfigInfo -- Return information about the current user. (V1.3)

### TEMPLATE

VAR/K,STEM/K,ITEM/A

### FUNCTION

Returns information about the current user.

### INPUTS

VAR/K - alternative variable to put the results into instead of RESULT (V2.0)  
STEM/K - base name used for the stem where the result will be stored (V2.0)  
ITEM/A - item to return information about, may be one of

EMA(IL) - e-mail address  
NAM(E) - real name

### RETURNS

VAR - info returned by the query  
<STEM>VALUE - info returned by the query

### NOTES

Superseded by [USERINFO ?](#) in V2.0+. Don't use it in new scripts.

### EXAMPLE

```
/* Enable result codes */
```

```
OPTIONS RESULTS
```

```
/* Request info */
```

```
GETCONFIGINFO NAME VAR name  
GETCONFIGINFO EMAIL VAR email
```

```
/* Display results */
```

```
SAY 'User name: 'name  
SAY 'User address: 'email
```

### BUGS

The original V1.3 implementation would return junk most of the time; this was fixed in V1.3.1.

### SEE ALSO

[USERINFO ?](#)