

## **Wikiprint Book**

**Title: Documentation/ARexxAPI/GETCONFIGINFO**

**Subject: YAM - Yet Another Mailer - Documentation/ARexxAPI/GETCONFIGINFO**

**Version: 11**

**Date: 27.01.2015 11:32:24**

## Table of Contents

Languages:	3
GETCONFIGINFO	3

**Languages:**

- **English**
- [Español](#)

**GETCONFIGINFO****NAME**

GetConfigInfo -- Return information about the current user. (V1.3)

**TEMPLATE**

VAR/K,STEM/K,ITEM/A

**FUNCTION**

Returns information about the current user.

**INPUTS**

VAR/K - alternative variable to put the results into instead of RESULT (V2.0)

STEM/K - base name used for the stem where the result will be stored (V2.0)

ITEM/A - item to return information about, may be one of

EMA(IL) - e-mail address

NAM(E) - real name

**RETURNS**

VAR - info returned by the query

<STEM>VALUE - info returned by the query

**NOTES**

Superseded by [USERINFO](#) in V2.0+. Don't use it in new scripts.

**EXAMPLE**

```
/* Enable result codes */
OPTIONS RESULTS

/* Request info */
GETCONFIGINFO NAME VAR name
GETCONFIGINFO EMAIL VAR email

/* Display results */
SAY 'User name:      'name
SAY 'User address:  'email
```

**BUGS**

The original V1.3 implementation would return junk most of the time; this was fixed in V1.3.1.

**SEE ALSO**

[USERINFO](#)