

# GETFOLDERINFO

## NAME

GetFolderInfo -- Return information about the current folder.

## TEMPLATE

VAR/K,STEM/K,ITEM/A

## FUNCTION

Returns information about the current folder.

## INPUTS

VAR/K - alternative variable to put the results into instead of RESULT (V2.0)

STEM/K - base name used for the stems where the returned data will be stored (V2.0)

ITEM/A - item to return info about, may be one of

NUM(BER) - position in the folder list (0 = first folder)

NAM(E) - name of the folder as shown in the folder list

MAX - total number of messages in the folder

PAT(H) - folder directory, without path (V1.3)

## RETURNS

VAR - info returned by the query

<STEM>VALUE - info returned by the query

## NOTES

Superseded by FOLDERINFO ? in V2.0+. Don't use it in new scripts.

## EXAMPLE

```
/* Enable result codes */
```

```
OPTIONS RESULTS
```

```
/* Request info */
```

```
GETFOLDERINFO NUMBER VAR position
```

```
GETFOLDERINFO NAME VAR name
```

```
GETFOLDERINFO MAX VAR total
```

```
GETFOLDERINFO PATH VAR path
```

```
/* Display results */
```

```
SAY 'Folder name: 'name
```

```
SAY 'Path: 'path
```

```
SAY 'Place in list: 'position
```

```
SAY 'Total messages: 'total
```

**BUGS**

**SEE ALSO**

FOLDERINFO ?