

**Languages:**

- English
- [Español](#)

**Table of Contents**

Languages:	1
GETSELECTED	2

## GETSELECTED

### NAME

GetSelected -- Get the position of the messages selected in the current folder. (V2.0)

### TEMPLATE

VAR/K,STEM/K

### FUNCTION

Gets the position of the messages selected in the current folder.

### INPUTS

VAR/K - alternative variable to put the results into instead of RESULT

STEM/K - base name used for the stems where the returned data will be stored

### RETURNS

VAR - space separated list of results

<STEM>NUM.COUNT - number of selected messages

<STEM>NUM.NR - position of the nth selected message, starting from 0; the message at the top of the list is also at position 0

The result is just "0" if an empty folder or a folder group are currently selected.

### NOTES

### EXAMPLE

```

/* Enable result codes */
OPTIONS RESULTS

/* Request info */
GETSELECTED STEM st.

/* Only continue if RC == 0 */
IF RC ~= 0 THEN EXIT

/* Display results */
SAY 'Messages selected: ' st.num.count
DO i = 0 TO st.num.count-1
  SAY 'Position of msg #' i: ' st.num.i
END

```

### BUGS

<STEM>NUM.COUNT was not initialized for empty folders. This was fixed in V2.4.

### SEE ALSO