

**Languages:**

- **English**
- [Español](#)

**Table of Contents**

Languages:	1
GETSELECTED	2

**GETSELECTED****NAME**

GetSelected -- Get the position of the messages selected in the current folder. (V2.0)

**TEMPLATE**

VAR/K,STEM/K

**FUNCTION**

Gets the position of the messages selected in the current folder.

**INPUTS**

VAR/K - alternative variable to put the results into instead of RESULT

STEM/K - base name used for the stems where the returned data will be stored

**RETURNS**

VAR - space separated list of results

<STEM>NUM.COUNT - number of selected messages

<STEM>NUM.NR - position of the nth selected message, starting from 0; the message at the top of the list is also at position 0

The result is just "0" if an empty folder or a folder group are currently selected.

**NOTES****EXAMPLE**

```
/* Enable result codes */
```

```
OPTIONS RESULTS
```

```
/* Request info */
```

```
GETSELECTED STEM st.
```

```
/* Display results */
```

```
SAY 'Messages selected: 'st.num.count
```

```
DO i = 0 TO st.num.count-1
```

```
    SAY 'Position of msg #'i': 'st.num.i
```

```
END
```

**BUGS**

<STEM>NUM.COUNT was not initialized for empty folders. This was fixed in V2.4.

**SEE ALSO**