

Wikiprint Book

Title: Documentation/ARexxAPI/MAILFORWARD

Subject: YAM - Yet Another Mailer - Documentation/ARexxAPI/MAILFORWARD

Version: 5

Date: 26.01.2015 17:28:03

Table of Contents

Languages:	3
MAILFORWARD	3

Languages:

- **English**
- [Español](#)

MAILFORWARD**NAME**

MailForward -- Open a new Write window to forward the selected messages.

TEMPLATE

VAR/K,STEM/K,QUIET/S

FUNCTION

Opens a new Write window to forward the selected messages.

INPUTS

VAR/K - alternative variable to put the results into instead of RESULT (V2.0)

STEM/K - base name used for the stem where the number of the created window will be stored (V2.0)

QUIET/S - force the window to stay invisible (V2.1)

RETURNS

VAR - info returned by the command

<STEM>WINDOW - number of the created window, may be 0 or 1 (or 2, if QUIET is enabled)

RC is set to 10 if the window cannot be opened, maybe because the limit of two Write windows has been reached.

NOTES**EXAMPLE**

```
/* Silently forward the selected messages */
```

```
MAILFORWARD QUIET
```

```
WRITETO 'joe@?'
```

```
WRITESEND
```

BUGS**SEE ALSO**