

Error: Macro TranslatedPages(None) failed

expected string or buffer

ARexx Function List

1. ADDRDELETE
2. ADDREDIT
3. ADDRFIND
4. ADDRGOTO
5. ADDRINFO
6. ADDRLOAD
7. ADDRNEW
8. ADDRRESOLVE
9. ADDRSAVE
10. APPBUSY
11. APPNOBUSY
12. FINDMAIL
13. FLUSHINDEXES
14. FOLDERINFO
15. GETCONFIGINFO
16. GETFOLDERINFO
17. GETMAILINFO
18. GETSELECTED
19. GETURL
20. HELP
21. HIDE
22. INFO
23. ISONLINE
24. LISTFREEZE
25. LISTSELECT
26. LISTUNFREEZE
27. MAILARCHIVE
28. MAILBOUNCE
29. MAILCHANGESUBJECT
30. MAILCHECK
31. MAILCOPY
32. MAILDELETE
33. MAILEDIT
34. MAILEXPORT
35. MAILFILTER
36. MAILFORWARD
37. MAILIMPORT
38. MAILINFO
39. MAILMOVE
40. MAILREAD
41. MAILREPLY
42. MAILSEND
43. MAILSENDALL
44. MAILSTATUS
45. MAILUPDATE
46. MAILWRITE
47. NEWMAILFILE
48. QUIT

49. READCLOSE
50. READINFO
51. READPRINT
52. READSAVE
53. REQUEST
54. REQUESTFILE
55. REQUESTFOLDER
56. REQUESTSTRING
57. RESTART
58. SCREENTOBACK
59. SCREENTOFRONT
60. SETFLAG
61. SETFOLDER
62. SETMAIL
63. SETMAILFILE
64. SHOW
65. USERINFO
66. WRITEATTACH
67. WRITEBCC
68. WRITECC
69. WRITEEDITOR
70. WRITEFROM
71. WRITEIDENTITY
72. WRITELETTER
73. WRITEMAILTO
74. WRITEOPTIONS
75. WRITEQUEUE
76. WRITEREPLYTO
77. WRITESEND
78. WRITESUBJECT
79. WRITETO

MAILREAD

NAME

MailRead -- Load the current message in the Read window. (V2.0)

TEMPLATE

VAR/K,STEM/K,WINDOW/N,QUIET/S

FUNCTION

Loads the current message into the Read window, or activates an already opened Read window to let other commands act upon it afterwards.

INPUTS

VAR/K - alternative variable to put the results into instead of RESULT

STEM/K - base name used for the stem where the returned data will be stored

WINDOW/N - change the command behavior to just activate an already opened Read window with the supplied identifier

QUIET/S - force the window to stay invisible

RETURNS

VAR - info returned by the command

<STEM>WINDOW - number of the Read window now active

RC is set to 10 if WINDOW is used with a value referring to an inexistant window or if another slot is asked but all of them are already taken.

NOTES

For all intents and purposes, the status of the "Multiple windows" flag in the Read configuration is irrelevant for this command.

Window slots are dynamically assigned as they are required until all four are occupied, and remain in use until the relevant window is closed (an "invisible" Read window is also "open" within this context). The optional WINDOW parameter sets the **active** Read window, upon which the READCLOSE?, READINFO?, READPRINT? and READSAVE? commands will act when called; therefore, the MAILREAD command **should** be called before using any of them to ensure they act on the window that they are supposed to. Note that manually activating a Read window using the GUI does **not** magically makes it the target of the above mentioned commands.

Until V2.5 the WINDOW parameter and return code was limited to return values only between 0 - 3.

EXAMPLE

BUGS

The WINDOW input parameter was never honoured; this was fixed in V2.4.

SEE ALSO

READCLOSE? READINFO? READPRINT? READSAVE?