

Error: Macro TranslatedPages(None) failed

expected string or buffer

ARexx Function List

1. ADDRDELETE
2. ADDREDIT
3. ADDRFIND
4. ADDRGOTO
5. ADDRINFO
6. ADDRLOAD
7. ADDRNEW
8. ADDRRESOLVE
9. ADDRSAVE
10. APPBUSY
11. APPNOBUSY
12. FINDMAIL
13. FLUSHINDEXES
14. FOLDERINFO
15. GETCONFIGINFO
16. GETFOLDERINFO
17. GETMAILINFO
18. GETSELECTED
19. GETURL
20. HELP
21. HIDE
22. INFO
23. ISONLINE
24. LISTFREEZE
25. LISTSELECT
26. LISTUNFREEZE
27. MAILARCHIVE
28. MAILBOUNCE
29. MAILCHANGESUBJECT
30. MAILCHECK
31. MAILCOPY
32. MAILDELETE
33. MAILEDIT
34. MAILEXPORT
35. MAILFILTER
36. MAILFORWARD
37. MAILIMPORT
38. MAILINFO
39. MAILMOVE
40. MAILREAD
41. MAILREPLY
42. MAILSEND
43. MAILSENDALL
44. MAILSTATUS
45. MAILUPDATE
46. MAILWRITE
47. NEWMAILFILE
48. QUIT

49. READCLOSE
50. READINFO
51. READPRINT
52. READSAVE
53. REQUEST
54. REQUESTFILE
55. REQUESTFOLDER
56. REQUESTSTRING
57. RESTART
58. SCREENTOBACK
59. SCREENTOFRONT
60. SETFLAG
61. SETFOLDER
62. SETMAIL
63. SETMAILFILE
64. SHOW
65. USERINFO
66. WRITEATTACH
67. WRITEBCC
68. WRITECC
69. WRITEEDITOR
70. WRITEFROM
71. WRITEIDENTITY
72. WRITELETTER
73. WRITEMAILTO
74. WRITEOPTIONS
75. WRITEQUEUE
76. WRITEREPLYTO
77. WRITESEND
78. WRITESUBJECT
79. WRITETO

MAILWRITE

NAME

MailWrite -- Open a new Write window or activate one already opened. (V1.3)

TEMPLATE

VAR/K,STEM/K,WINDOW/N,QUIET/S

FUNCTION

Opens a Write window to compose a new mail or activates one already opened.

Except when replying/forwarding/bouncing email where only one Write window is used, MAILWRITE is needed before trying to edit any part of a new message.

INPUTS

VAR/K - alternative variable to put the results into instead of RESULT (V2.0)

STEM/K - base name used for the stem where the returned data will be stored (V2.0)

WINDOW/N - change the command behavior to just activate an already opened Write window identified by the supplied parameter

QUIET/S - force the window to stay invisible (V2.1)

RETURNS

VAR - info returned by the command
<STEM>WINDOW - number of the created/activated window

RC is set to 5 if WINDOW is used with a value referring to an inexistant window, or to 10 if the window cannot be opened, maybe because the limit of two Write windows has been reached.

NOTES

Window slots are dinamically assigned as they are required until all of them are occupied, and remain in use until the relevant window is closed (an "invisible" Write window is also "open" within this context). The optional WINDOW parameter sets the **active** Write window, upon which the WRITEATTACH?, WRITEBCC?, WRITECC?, WRITEEDITOR?, WRITEFROM?, WRITELETTER?, WRITEMAILTO?, WRITEOPTIONS?, WRITEQUEUE?, WRITEREPLYTO?, WRITESEND?, WRITESUBJECT?, and WRITETO? commands will act when called, though strictly speaking this is only necessary when at least two Write windows are opened at the same time - in that case, MAILWRITE WINDOW x should be called before using any of these commands to ensure they act on the window they are supposed to.

Regardless, note that manually activating a Write window using the GUI does **not** magically make it the target of the above mentioned commands.

EXAMPLE

```
/* Enable result codes */
OPTIONS RESULTS

/* Start a new mail */
MAILWRITE STEM st.
win1 = st.window

/* Start yet another mail */
MAILWRITE STEM st.
win2 = st.window

/* Edit the first Write window */
MAILWRITE WINDOW win1
WRITETO 'boss@example.com'
'WRITESUBJECT "I don't think I can go to work today"'
WRITELETTER 'work:excuses.txt'

/* Edit the second Write window */
MAILWRITE WINDOW win2
WRITETO 'peggy@example.org'
'WRITESUBJECT "Stuffed at work, I'll be late"'

/* Put the first email in the Outgoing queue */
MAILWRITE WINDOW win1
WRITEQUEUE

/* Start a new email using an invisible Write window */
MAILWRITE STEM st. QUIET
win3 = st.window
WRITETO 'sales@example.com'
'WRITESUBJECT "Two with Mozzarella + lots of coke"'
WRITELETTER 'dh5:priv/Snail_Linda.txt'

/* Finish editing the second email and send it at once */
MAILWRITE WINDOW win2
WRITESEND

/* Send the third email */
MAILWRITE WINDOW win3
WRITEOPTIONS DELETE /* avoid leaving any traces */
```

WRITESEND

BUGS

MAILWRITE would throw Enforcer hits if YAM was iconified and the external editor was configured to be launched immediately, or when the QUIET switch was used; this was fixed in V2.3.

SEE ALSO

WRITEATTACH?, WRITEBCC?, WRITECC?, WRITEEDITOR?, WRITEFROM?, WRITELETTER?,
WRITEMAILTO?, WRITEOPTIONS?, WRITEQUEUE?, WRITEREPLYTO?, WRITESEND?,
WRITESUBJECT?, WRITETO?