

Languages:

- English
- [Español](#)

Table of Contents

| | |
|------------|---|
| Languages: | 1 |
| READINFO | 2 |

READINFO

NAME

ReadInfo -- Return information about the attachments of the message in the active Read window. (V2.0)

TEMPLATE

VAR/K,STEM/K

FUNCTION

Returns information about the attachments of the message in the active Read window as set by [MAILREAD](#).

INPUTS

VAR/K - alternative variable to put the results into instead of RESULT

STEM/K - base name used for the stems where the results will be stored

RETURNS

VAR - info returned by the query

<STEM>FILENAME.COUNT - number of parts of the message, excluding the first header block

<STEM>FILENAME.NR - filename of the nth part of the message, where nr is a number between 0 and n-1 (0 = first part after the headers, usually the body of the message)

<STEM>FILETYPE.NR - content type of the nth part of the message, where nr is a number between 0 and n-1 (0 = first part after the headers, usually the body of the message)

<STEM>FILESIZE.NR - size of the nth part of the message, where nr is a number between 0 and n-1 (0 = first part after the headers, usually the body of the message)

<STEM>TEMPFILE.NR - temporary file where the nth part of the message is stored, nr being a number between 0 and n-1 (0 = first part after the headers, usually the body of the message)

RC is set to 10 if no Read window was previously specified as "active" with [MAILREAD](#).

NOTES

No filename is returned for the body of the message.

EXAMPLE

```

/* Enable result codes */
OPTIONS RESULTS

/* Silently decode the current message */
MAILREAD QUIET

/* Get info about the message */
READINFO STEM ri.

/* Only continue if RC == 0 */
IF RC ~= 0 THEN EXIT

/* Close the window */
READCLOSE

/* Display results */
DO i = 0 TO ri.filename.count-1
  SAY 'Information about part #'i+1
  SAY '  File name: 'ri.filename.i
  SAY '  File type: 'ri.filetype.i
  SAY '  File size: 'ri.filesize.i
  SAY '  Stored in: 'ri.tempfile.i
END

```

BUGS

The command used to blindly act upon the first Read window opened at any given time; this was changed in V2.4 to require the use of [MAILREAD](#) to explicitly mark a window as "active".

SEE ALSO

[MAILREAD](#)