

Wikiprint Book

Title: Documentation/ARexxAPI/REQUESTSTRING

Subject: YAM - Yet Another Mailer - Documentation/ARexxAPI/REQUESTSTRING

Version: 5

Date: 29.01.2015 13:23:15

Table of Contents

Languages:	3
REQUESTSTRING	3

Languages:

- **English**
- [Español](#)

REQUESTSTRING**NAME**

RequestString -- Open a requester asking the user to enter a text string. (V2.0)

TEMPLATE

VAR/K,STEM/K,BODY/A,STRING/K,SECRET/S

FUNCTION

Opens a requester asking the user to enter a text string.

INPUTS

VAR/K - alternative variable to put the results into instead of RESULT
 STEM/K - base name used for the stem where the result will be stored
 BODY/A - a string containing the body of the requester
 STRING/K - optional, text string used by default
 SECRET/S - force characters to appear as asterisks (*)

RETURNS

VAR - info returned by the query
 <STEM>STRING - text entered in the requester

RC is set to 1 if the user cancels the requester.

NOTES**EXAMPLE**

```
/* Enable result codes */
OPTIONS RESULTS

/* Request the user to type something */
body = "Please type your name"
default = "Bill Clinton"

REQUESTSTRING body STRING default
```

BUGS**SEE ALSO**