

## **Wikiprint Book**

**Title: Documentation/ARexxAPI/WRITEMAILTO**

**Subject: YAM - Yet Another Mailer - Documentation/ARexxAPI/WRITEMAILTO**

**Version: 5**

**Date: 26.01.2015 23:28:38**

## Table of Contents

Languages:	3
WRITEMAILTO	3

**Languages:**

- **English**
- [Español](#)

**WRITEMAILTO**

**NAME**

WriteMailTo -- Enter one or more names, addresses or aliases into the "To" field of the Write window.

**TEMPLATE**

ADDRESS/A/M

**FUNCTION**

Enters one or more names, addresses or aliases into the "To" field of the Write window, replacing whatever was already there. YAM will resolve names and aliases looking in the address book.

**INPUTS**

ADDRESS/A/M - list of names/addresses/aliases

**RETURNS**

RC is set to 10 if no Write window was previously specified as "active" with [MAILWRITE ?](#).

**NOTES**

Superseded by [WRITETO ?](#) in V2.0+.

**EXAMPLE**

```
/* Set the primary recipients of a message */  
  
MAILWRITE WINDOW 0 /* Set the active Write window */  
'WRITEMAILTO "George Bush" "jdoe" "carol@?"'
```

**BUGS**

**SEE ALSO**

[MAILWRITE ?](#)