

TracLinks in reStructuredText

This document illustrates how to use the `:trac:` role in [reStructuredText](#). The page is written like:

```
:trac:`ticket:1`  
`comment:ticket:1:2`  
:trac:`report:1`  
:trac:`[1]` or :trac:`changeset:1`  
:3`, :trac:`[1:3]` or :trac:`log:@1:3`, :trac:`log:trunk@1:3`  
30`, :trac:`diff:tags/trac-0.9.2/wiki-default//tags/trac-0.9.3/wiki-default` or :trac:`diff:trunk/trac@3538//s  
lCase` or :trac:`wiki:CamelCase`  
estone:1.0`  
achment:ticket:944:attachment.1073.diff`  
trunk/COPYING`  
on: :trac:`source:/trunk/COPYING@200`  
specific file revision: :trac:`source:/trunk/COPYING@200#L25`  
  
specified, separated from the link by a space:  
  
and the :trac:`source:trunk/COPYING license`.
```

Provided you have [?docutils](#) installed, the above block will render as:

Examples:

- ◆ Tickets: [#1](#) or [ticket:1](#)
- ◆ Ticket comments: [comment:ticket:1:2](#)
- ◆ Reports: [{1}](#) or [report:1](#)
- ◆ Changesets: [r1](#), [\[1\]](#) or [changeset:1](#)
- ◆ Revision log: [r1:3](#), [\[1:3\]](#) or [log:@1:3](#), [log:trunk@1:3](#)
- ◆ Diffs: [diff:@20:30](#), [diff:tags/trac-0.9.2/wiki-default//tags/trac-0.9.3/wiki-default](#) or [diff:trunk/trac@3538//sandbox/vc-refactoring/trac@3539](#)
- ◆ Wiki pages: [CamelCase](#) or [wiki:CamelCase](#)
- ◆ Milestones: [milestone:1.0](#)
- ◆ Attachment: [attachment:ticket:944:attachment.1073.diff](#)
- ◆ Files: [source:trunk/COPYING](#)
- ◆ A specific file revision: [source:/trunk/COPYING@200](#)
- ◆ A particular line of a specific file revision: [source:/trunk/COPYING@200#L25](#)

An explicit label can be specified, separated from the link by a space:

- ◆ See [ticket 1](#) and the [license](#).

Note that the above could have been written using substitution references and the `trac::` directive:

```
{{{  
#!rst  
See |ticket123|.}}
```

```
.. |ticket123| trac:: ticket:123 this ticket
}}
```

This renders as:

See [this ticket](#).

See also: [WikiRestructuredText](#), [TracLinks](#)