Error: Macro TranslatedPages(revision=2) failed

```
expected string or buffer
```

Ventana Principal

La ventana principal de YAM está dispuesta como se muestra:

> Barra Menú: Proyecto ? Edición Navegación Carpeta ? Mensaje ? Configuración ? Scripts ? Ayuda

```
.-------------------------------------------------------.
|             Barra de Herramientas                     |
|-------------------------------------------------------|
|                 Barra de Estado                       |
|-------------------------------------------------------|
|                 |                                     |
|                 |         Lista de Mensajes           |
|  Lista de       |                                     |
|  Carpetas       |      Muestra el contenido de        |
|                 |      la carpeta seleccionada        |
|                 |-------------------------------------|
|                 |                                     |
|                 |   Panel de Lectura incrustado       |
|                 |   Muestra el contenido del mensaje  |
|                 |   actualmente seleccionadoail       |
|                 |                                     |
`-----------------^-------------------------------------'
```

Lista de Carpetas

Las siguientes seis 'carpetas' standard de correo están siempre presentes:

Entrante

> Esta carpeta guarda los mensajes recibidos. Cuando descarga nuevo correo, es aquí donde inicialmente irán los nuevos mensajes. Puede, no obstante, redirigir los mensajes entrantes a otras carpetas, usando filtros?.

Saliente

> Esta carpeta guarda los mensajes que se escriben y que tiene intención de enviar la próxima vez que esté en línea.

Enviado

> Aquí puede ver los mensajes que ya han sido enviados. Los mensajes son movidos a esta carpeta (desde 'Saliente') cuando son realmente transmitidos. De nuevo, puede utilizar filtros? para redirigir los mensajes enviados a otras carpetas.

Papelera

> Esta carpeta contiene los mensajes marcados para ser borrados. Normalmente los mensajes no son borrados realmente del disco duro hasta que no se sale de YAM. Esto le permite recuperar los mensajes borrados durante la sesión.

Borradores

Spam

Usando el menú carpeta? puede crear más carpetas para guardar mensajes recibidos y/o enviados, puede ordenar los mensajes de la forma que desee, incluso ordenarlos por grupos.

The folder list can have upto five columns: Name of the folder, number of messages (in total, new or unread) as well as the size of the folder. Which of these columns are actually shown depends on how you set up lists ? in the configuration; you can also use the context menu (click RMB on the column headings) to have some columns temporary enabled or disabled. The column widths can be adjusted by using the mouse to drag the thin lines separating the column headings in the folder list itself. The order of the columns can be modified by dragging the column headings sideways.

The folders themselves can be rearranged by Drag&Drop?.

If the name of the folder is shown in white, this means that the box contains new or unread mail. When the numerical indication is missing, this shows that the folder has not been scanned, which saves storage space.

The coloring of folder groups is special: they always appear in white, as in "Personal". If a folder in a group contains new or unread mail, the name of the group will show up as bold, as in "**Personal**".

If you "park" the mouse pointer over the list for some seconds, a help bubble containing information about the current folder pops up.

To see the contents of any particular folder, click on that row in the folder list. The message list appears at the right, maybe after a slight pause.

You can also use the numeric keys 0..9 to change the current folder to one of the first 10 folders in the list ('0' for the first folder, '1' for the second, etc.). If the key you press applies to the current folder, the message list will be refreshed instead.

Double-clicking an entry in the list opens the configuration window ? where you can edit the properties of the selected folder or group.

Lista de Mensajes

The message list can have upto eight columns, the contents being set in the lists ? configuration. You can also use the context menu (click RMB on the column headings) to have some columns temporary enabled or disabled.

Message status

One or more icons showing the status of the message.

Message status	Icon
New messages New, unread message downloaded the last time mail was collected.	
Unread messages Messages which have not yet been read.	

Read messages

Messages which have already been read.

Answered messages

Messages which have already been answered.

Forwarded messages

Messages which have been forwarded to a third party.

Unsent messages

Messages in 'Outgoing', ready to send.

Held messages

Messages in 'Outgoing' which need further work before sending.

Sent messages

Messages which have already been sent.

Failed messages

Messages which failed, due to an error encountered in transmission.

Messages with attachment(s)

Messages with one or more files attached.

Locked messages

Messages which have been encrypted with PGP.

Signed messages

Messages which have been signed with PGP.

Status report

Automatic reply from the mail server or the recipient's mail program.

Important message

Message noted as important by the sender.

Marked messages

Messages which have been locally "marked" for some reason.

Spam

Messages marked as spam.

Remitente/Destinatario

E-mail address or, in this case, the name of the sender or recipient of the message, depending on the type of mailbox. If the message was sent to several people at the same time, a little icon appears in front of the name, showing three tiny heads.

Asunto

Subject of the message. When the messages are sorted according to the subject, the prefixes Re: and AW: are ignored.

Fecha

The date the message was written, calculated according to the local time (for you). For this to work, both you and the sender must have set your correct timezone ?, and the system date and time must be correct on both ends.

Nombre de Archivo

Name of the file containing the message.

Dirección de respuesta

Contents of the "Reply-To:" header in the message. If this is missing, then the sender's address is given (the "From:" header).

Tamaño

Tamaño del mensaje.

Fecha envío/recepción

The date the message was sent or received, depending on the type of mailbox. Again, for this to work properly, both you and the sender must have set your correct timezone ?, and the system date and time must be correct on both ends.

The column widths can be adjusted by using the mouse to drag the thin lines separating the column headings in the message list itself. The order of the columns can be modified by dragging the column headings sideways.

A little arrow in the one of the column headings shows how the messages are sorted. One click on a column heading causes the messages to be sorted according to this property. A second click on the same heading reverses the order of sorting (Z->A instead of A->Z). To set the second sort key, keep the Shift key pressed while clicking on the column heading. These changes are only temporary; if you want to make them permanent you must do this in the folder settings ? window.

If you "park" the mouse pointer over the list for some seconds, a help bubble containing information about the current message pops up.

A double click on an entry in the list opens a Read window ? and displays the corresponding message. You can use the mouse to move messages to another folder. Click on an entry and drag down (holding the left mouse button) to mark a block of messages. Then click and drag ? the marked block to the left, into the folder list, and drop it onto the chosen folder.

Barra de Herramientas

The toolbar gives you easy access the most frequently used functions.

The table shows the equivalences between buttons (position and label), keyboard shortcuts and menu commands. You can choose whether to show icons, labels or both on the buttons: see Settings/MUI ?.

Button	Shortcut	Equivalent to menu...
1 [Read]	D,<return>	Message/Read ?
2 [Edit]	E	Message/Edit ?
3 [Move]	V	Message/Move... ?
4 [Delete]	L,<del>	Message/Delete ?
5 [GetAdd]	T	Message/Save Address... ?
6 [New]	N	Message/Write ?
7 [Reply]	R	Message/Reply... ?
8 [Forward]	W	Message/Forward... ?
9 [Get]	G	Folder/Get new mail ?
10 [Send]	S	Folder/Send queued mail ?
11 [Spam]	A	Folder/Apply Spam filter ?
12 [Filter]	I	Folder/Filter ?
13 [Find]	F	Folder/Search... ?
14 [Addr]	A	Settings/Address book... ?
15 [Config]	C	Settings/Configuration... ?

Additional features are available by clicking a toolbar button while holding down a certain qualifier key:

Shift + [Delete] Immediately deletes the messages
Shift + [Reply] Forces a private reply (address in the "From:" field is used)
Shift + [Forward] Bounces the message
Shift + [Get] Starts a mail exchange
Shift + [Filter] Filters the active message(s) only
Alt + [Reply] Forces a mailing list reply (address in the "Reply-To:" field is used)
Ctrl + [Reply] Omits quoting of the original message
Ctrl + [Forward] Omits forwarding of the attachments