

## En otros idiomas:

- [English](#)
- [Español](#)
- [Français](#)
- [@0 - @1](#)

# Administrador de Usuarios

YAM satisfará la necesidad de una gran familia, pudiendo manejar hasta 16 usuarios, con sus propias carpetas y configuración para cada uno. Al iniciar YAM, puede indicar el usuario e inmediatamente utilizará su configuración personal, llegando a hacer redundantes programas como MultiYAM. Seleccionando el menú de **Preferencias/Usuarios** se mostrará la ventana de usuarios.

## Nombre de Usuario

Este es el nombre del usuario. It will appear in the welcome dialogue on startup, provided that at least two users are defined. El usuario activo aparece seleccionado.

Ejemplo: Bill Brown

## Contraseña

Si rellena este campo, al iniciar se le solicitará contraseña si indica el usuario asociado.

## Directorio de Correo

This is the home directory for all user-specific files, such as folders and configuration settings. Obviously, this directory must be different for any user in the system.

Ejemplo: PROGDIR:bill

## Uso global libreta de direcciones

Enable this option if the user won't be using his or her own address book. The address book is then shared with at least the default user — the file is kept in the program home directory and not in the user's home directory.

## Uso global glosario

Enable this option if the user will not maintain a separate glossary but will instead share one with at least the default user. The file is kept in the program home directory and not in this user's home directory.

## Privilegios de Supervisor

Enable this option to allow the user to create or remove other users.

## Copiar configuración del usuario actual

If you are adding a new user, you can select this option and copy the current settings to the new user directory, thus saving the new user some tedious work setting up a whole new configuration from scratch.

**Añadir usuario**

Adds a new user to the list.

**Borrar usuario**

Deletes the selected user from the list.